USSN: Not yet assigned

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- 1. (original): A method of producing a molded polyurethane foam by casting a polyurethane foam material into a mold cavity and foaming said polyurethane foam material, wherein said polyurethane foam material is one which gives, upon free foaming, a foam composed of cells with an aspect ratio of from 1 to 2.5.
- 2. (original): The method of producing a molded polyurethane foam as defined in claim 1, wherein said polyurethane foam material comprises a polyol component, an isocyanate component, and a silicone foam stabilizer.
- 3. (original): The method of producing a molded polyurethane foam as defined in claim 2, wherein the silicone foam stabilizer is used in an amount equal to or less than 10 pbw for 100 pbw of the polyol component.
- 4. (currently amended): The method of producing a molded polyurethane foam as defined in claim 2 or 3, wherein the polyol component comprises 40 to 100 wt% of sucrose-based polyol, 0 to 40 wt% of aromatic amine polyol, and 0 to 60 wt% of aliphatic amine polyol.

PRELIMINARY AMENDMENT

USSN: Not yet assigned

5.

(currently amended): The method of producing a molded polyurethane foam as

Q92942

defined in any one of claims 1 to 4 claim 1, wherein the molded polyurethane foam is a molded

rigid polyurethane foam.

6. (currently amended): The method of producing a molded polyurethane foam as

defined in any one of claims 1 to 5 claim 1, wherein the molded polyurethane foam is an energy-

absorbing material.

7. (currently amended): The method of producing a molded polyurethane foam as

defined in any one of claims 1 to 6 claim 1, wherein the molded polyurethane foam is a sheet-

like polyurethane foam.

8. (original): The method of producing a molded polyurethane foam as defined

in claim 7, wherein the sheet-like polyurethane foam is one which has a thickness equal to or

thinner than 40 mm.

9. (currently amended): A molded polyurethane foam which is obtained by the

method defined in any one of claims 1 to 8 claim 1.

3